

Revision nr. 2

Dated 19/05/2022

Printed on 03/02/2025

Page n. 1/18

Replaced revision:1 (Printed on: 13/03/2020)

# SOFTWASH

# Safety data sheet compliant with Regulation (EC) n. 1907/2006 (Reach)

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SOFTWASH

UFI: HHEQ-40X7-N002-DFKE

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use LVT, laminates, vinyl, SPC, PVC, linoleum, rubber, and resin

Identified Uses Industrial Professional Consumer Uses - -

1.3. Details of the supplier of the safety data sheet

Name FILA INDUSTRIA CHIMICA S.P.A.

Full address Via Garibaldi, 58

District and Country 35018 San Martino di Lupari (PD)

ITALIA

Tel. +39.049.9467300 Fax +39.049.9460753

e-mail address of the competent person

responsible for the Safety Data Sheet sds@filasolutions.com

Supplier: FILA SURFACE CARE PRODUCTS

LIMITED

12 Bridewell Place, Third Floor East, London

London EC4V 6AP

1.4. Emergency telephone number

For urgent inquiries refer to TEL +39.049.9467300 (Monday –

Friday; 8.30 - 12.30 and 14.00 - 17.30 )

UNITED KINGDOM: NHS Direct 111 (In England, Scotland North Ireland) 08454647

(Wales)

**IRELAND 018092166** 

#### **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1 H318 Causes serious eye damage.



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n. 2/18

Replaced revision:1 (Printed on: 13/03/2020)

**SOFTWASH** 

Skin irritation, category 2

H315

Causes skin irritation.

Hazardous to the aquatic environment, chronic toxicity, category 2

H411

Toxic to aquatic life with long lasting effects.

# 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:





Signal words:

Danger

Hazard statements:

H318 Causes serious eye damage.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains: D LIMONENE

May produce an allergic reaction.

Precautionary statements:

P102 Keep out of reach of children.

**P280** Wear protective gloves/ protective clothing / eye protection / face protection.

P302+P352 IF ON SKIN: wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON CENTER / doctor.

P501 Dispose of contents / container in accordance with local/regional/national/international regulation.

Contains: QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES

Alcohols, C12-14, ethoxylates

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% cationic surfactants, non-ionic surfactants

perfumes

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n. 3/18

Replaced revision:1 (Printed on: 13/03/2020)

# **SOFTWASH**

# **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

**WATER** 

INDEX -82 ≤ x < 100

EC 231-791-2 CAS 7732-18-5

**QUATERNARY AMMONIUM** COMPOUNDS, BENZYL-C8-18-**ALKYLDIMETHYL, CHLORIDES** 

Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 INDEX  $1 \le x < 2$ 

H318, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

EC 270-325-2 LD50 Oral: 795 mg/kg

CAS 68424-85-1

Alcohols, C12-14, ethoxylates

**INDEX**  $1 \le x < 2$ Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412

EC -STA Oral: 500 mg/kg

CAS 68439-50-9

**D LIMONENE** 

INDEX 601-029-00-7  $0,1 \le x < 0,15$ Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317,

Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 EC 227-813-5

CAS 5989-27-5

REACH Reg. 01-2119529223-47-

0000

3,7,-DIMETHYL-2,6-OCTADIENAL

INDEX -Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317  $0.01 \le x < 0.04$ 

EC 226-394-6 CAS 5392-40-5

REACH Reg. 01-2119462829-23

(1S)2,6,6-TRIMETHYLBICYCLO-2

**HEPTENE** 

INDEX Flam. Liq. 3 H226, Asp. Tox. 1 H304, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin  $0 \le x < 0.02$ 

Sens. 1 H317, Aquatic Chronic 1 H410 M=1 EC 232-077-3

CAS 7785-26-4

REACH Reg. 01-2119979519-16

(1S)6,6-DIMETHYL-2-**METHYLENBICYCLOHEPTANE** 

Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1 H317, INDEX - $0 \le x < 0.02$ 

Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1



Revision nr. 2

Dated 19/05/2022

Printed on 03/02/2025

Page n. 4/18

Replaced revision:1 (Printed on: 13/03/2020)

# **SOFTWASH**

EC 204-872-5 CAS 127-91-3

REACH Reg. 01-2119519230-54

**ETHYL ACETATE** 

INDEX 607-022-00-5

 $0 \le x < 0.02$ 

Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336, EUH066

EC 205-500-4 CAS 141-78-6

REACH Reg. 01-2118475103-46

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove any contact lenses. Wash immediately with plenty of warm water for at least 30/60 minutes, opening the eyelids well. Consult a doctor immediately.

SKIN: Remove contaminated clothing. Take a shower immediately. Consult a doctor immediately.

INGESTION: Consult a doctor immediately. Do not induce vomiting unless expressly authorized by your doctor.

INHALATION: Call a doctor immediately. Bring the subject to fresh air, away from the accident site. If breathing stops, give artificial respiration. Take appropriate precautions for the rescuer.

#### 4.2. Most important symptoms and effects, both acute and delayed

It causes serious skin burns and serious eye injuries.

Contact with eyes: it causes burns, pain, tearing, redness.

Ingestion: it can cause mouth burning, throat and stomach.

Inhalation: cough and irritation of the respiratory tract. Contact with the skin: burns, pain or irritation, redness and formation of blisters.

# 4.3. Indication of any immediate medical attention and special treatment needed

Utille urgent medical intervention. Treat symptomatically.

# **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

GENERAL INFORMATION



Revision nr. 2

Dated 19/05/2022

Page n. 5/18

Replaced revision:1 (Printed on: 13/03/2020)

**SOFTWASH** 

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

See section 01 for defined uses. No other particular uses are foreseen.

# SECTION 8. Exposure controls/personal protection

#### 8.1. Control parameters

Regulatory References:



C7F

DEU

GRC

IΤΑ

NLD

PRT

POL

ROU

SWE

SVK

SVN

DIIMONENE

Deutschland

Italia

Nederland

Portugal

Polska

Slovensko

Slovenija

Health - Derived no-effect level - DNEL / DMEL

#### FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n 6/18

Replaced revision:1 (Printed on: 13/03/2020)

#### SOFTWASH

Česká Republika Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se

stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů

Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.

MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher

Arbeitsstoffe, Mitteilung 56

DNK Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019 Danmark **ESP** España Límites de exposición profesional para agentes químicos en España 2021

FRA Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS France

FIN HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH Suomi HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25

Ελλάδα Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών

2017/2398/EE, 2019/130/EE και 2019/983/EE «για την τροποποίηση της οδηγίας 2004/37/EK ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή

μεταλλαξιγόνους παράγοντες κατά την εργασία``»

. Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők HUN Magyarország

hatásának kitett munkavállalók egészségének és biztonságának védelméről

HRV Hrvatska Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu,

graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) Decreto Legislativo 9 Aprile 2008, n.81

Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. NOR Norge

august 2018 nr. 1255

Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste

lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit

Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes

químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à

exposição durante o trabalho a agentes cancerígenos ou mutagénicos Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie

w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w

środowisku pracy

România Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea

și completarea hotărârii guvernului nr. 1.093/2006

Sverige Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)

NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády

Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov

Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list

RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 -ZVZD-1, 38/15, 78/18 in 78/19)

United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

**GBR** OFI FU

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/183; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH **ACGIH 2021** 

D LIMONENE	_						
Threshold Limit Valu		T) A / A / O I		OTEL 45			
Type	Country	TWA/8h		STEL/15min		Remarks Observat	
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	28	5	110	20		
TLV	NOR	140	25				anmerkninger A
Predicted no-effect conce	ntration - PNEC						
Normal value in fresh wat	er			0,014		mg/l	
Normal value in marine w	ater			0,0014		mg/l	
Normal value for fresh wa	ter sediment			3,85		mg/kg	
Normal value for marine v	vater sediment			0,385		mg/kg	
Normal value of STP micr	oorganisms			1,8		mg/l	
Normal value for the food	chain (secondary poiso	oning)		133		mg/kg	
Normal value for the terre	strial compartment			0,763		mg/kg/d	
Normal value for the atmo	sphere			NPI			



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n. 7/18

Replaced revision:1 (Printed on: 13/03/2020)

**SOFTWASH** 

	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	VND	NPI	VND	4,8 mg/kg bw/d				
Inhalation	NPI	NPI	NPI	16,6 mg/m3	NPI	NPI	NPI	66,7 mg/m3
Skin	NPI	NPI	NPI	4,8 mg/kg bw/d	VND	NPI	VND	9,5 mg/kg bw/d

# 3,7,-DIMETHYL-2,6-OCTADIENAL

Threshold Limit Value							
Туре	Country	TWA/8h		STEL/15min		Remarks /	
						Observations	
		mg/m3	ppm	mg/m3	ppm		
OFI	FU		5				

# (1S)6,6-DIMETHYL-2-METHYLENBICYCLOHEPTANE

Inresnoid Limit Value						
Туре	Country	TWA/8h		STEL/15min		Remarks /
	,					Observations
		mg/m3	ppm	mg/m3	ppm	
OEL	EU		20			

# Health - Derived no-effect level - DNEL / DMEL

	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation	•	•		-		-		5 98 mg/m3

# (1S)2,6,6-TRIMETHYLBICYCLO-2 HEPTENE

I hreshold Limit Val	lue						
Туре	Country	TWA/8h		STEL/15min		Remarks /	
						Observations	
		mg/m3	ppm	mg/m3	ppm		
OEL	EU		20				

# Health - Derived no-effect level - DNEL / DMEL

	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation				5,98 mg/m3		•	•	

# ETHYL ACETATE

Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	CZE	700	191,1	900	245,7		
AGW	DEU	730	200	1460	400		
MAK	DEU	750	200	1500	400		
TLV	DNK	540	150			E	
VLA	ESP	734	200	1468	400		
VLEP	FRA	734	200	1468	400		
HTP	FIN	730	200	1470	400		
TLV	GRC	734	200	1468	400		



Revision nr. 2

Dated 19/05/2022

Printed on 03/02/2025

Page n. 8/18

Replaced revision:1 (Printed on: 13/03/2020)

SOF	TW	/AS	Н
-----	----	-----	---

AK	HUN	734		1468		
GVI/KGVI	HRV	734	200	1468	400	
VLEP	ITA	734	200	1468	400	
TLV	NOR	734	200			
TGG	NLD	734		1468		
VLE	PRT	734	200	1468	400	
NDS/NDSCh	POL	734		1468		
TLV	ROU	734	200	1468	400	
NGV/KGV	SWE	550	150	1100	300	
NPEL	SVK	734	200	1468	400	
MV	SVN	734	200	1468	400	
WEL	GBR	734	200	1468	400	
OEL	EU	734	200	1468	400	
TLV-ACGIH		1441	400			

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following must be considered for the final choice of the work glove material: compatibility, degradation, break time and permeation.

In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as unpredictable. The gloves have a wear time that depends on the duration and the mode of use

Recommended material: Nitrile, minimum 0.38 mm thickness or equivalent protective barrier material with a high level performance for continuous contact conditions, with a minimum permeability time of 480 minutes in accordance with the CEN EN 420 and EN standards 374.

# SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold



Revision nr. 2

Dated 19/05/2022

Printed on 03/02/2025

Page n. 9/18

Replaced revision:1 (Printed on: 13/03/2020)

**SOFTWASH** 

values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

#### **SECTION 9. Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties Value Information
Appearance liquid

Colour blue

Odour Lemon fragrance Melting point / freezing point not available Initial boiling point not available Flammability not applicable Lower explosive limit not available Upper explosive limit not available Flash point > 93 °C not available Auto-ignition temperature not available Decomposition temperature

pH 8,5

Kinematic viscosity not available
Solubility Readily soluble
Partition coefficient: n-octanol/water not available
Vapour pressure not available
Density and/or relative density 1,001 kg/l
Relative vapour density not available
Particle characteristics not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0,13 % - 1,25 g/litre

Explosive properties not applicable
Oxidising properties not applicable

# **SECTION 10. Stability and reactivity**



Revision nr. 2

Dated 19/05/2022
Printed on 03/02/2025

Page n. 10/18

Replaced revision:1 (Printed on: 13/03/2020)

# SOFTWASH

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

ETHYL ACETATE

Decomposes slowly into acetic acid and ethanol under the effect of light, air and water.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHYL ACETATE

Risk of explosion on contact with: alkaline metals,hydrides,oleum.May react violently with: fluorine,strong oxidising agents,chlorosulphuric acid,potassium tert-butoxide.Forms explosive mixtures with: air.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHYL ACETATE

Avoid exposure to: light, sources of heat, naked flames.

#### 10.5. Incompatible materials

None.

ETHYL ACETATE

Incompatible with: acids,bases,strong oxidants,aluminium,nitrates,chlorosulphuric acid.Incompatible materials:

#### 10.6. Hazardous decomposition products

Due to thermal decomposition or in case of fire, gases and vapors can be released that are potentially harmful to health.

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n. 11/18

Replaced revision:1 (Printed on: 13/03/2020)

# **SOFTWASH**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES

LD50 (Dermal): LD50 (Oral): > 5000 mg/kg calculated

795 mg/kg ratto

Alcohols C12-14, ethoxylated

STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

D LIMONENE

LD50 (Dermal): > 5000 mg/kg rabbit

> 2000 mg/kg rat female OCSE 423 LD50 (Oral):

SKIN CORROSION / IRRITATION



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n. 12/18

Replaced revision:1 (Printed on: 13/03/2020)

**SOFTWASH** 

Causes skin irritation

# SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

# RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: D LIMONENE

# GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

# CARCINOGENICITY

Does not meet the classification criteria for this hazard class

# REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

# STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

# ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n. 13/18

Replaced revision:1 (Printed on: 13/03/2020)

# **SOFTWASH**

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

# **SECTION 12. Ecological information**

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity

D LIMONENE

LC50 - for Fish 0,72 mg/l/96h Pimephales promelas OCSE 203
EC50 - for Crustacea 0,51 mg/l/48h Daphnia magna OECD 202

EC50 - for Algae / Aquatic Plants 0,32 mg/l/72h pseudokirchneriella subcapitata OECD 201

Chronic NOEC for Fish 0,37 mg/l Pimephales promelas 8d OECD 212
Chronic NOEC for Crustacea 0,08 mg/l Daphnia magna 21d OECD 211

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES

LC50 - for Fish 0,085 mg/l/96h Oncorhyncus mykiss EC50 - for Crustacea 0,016 mg/l/48h daphnia magna

EC50 - for Algae / Aquatic Plants 0,025 mg/l/72h selenastrum capricornutum

#### 12.2. Persistence and degradability

ETHYL ACETATE

Solubility in water > 10000 mg/l

Rapidly degradable D LIMONENE

Rapidly degradable 80% 28d OECD 301D QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES Rapidly degradable Alcohols C12-14, ethoxylated

Rapidly degradable

95% 14d

# 12.3. Bioaccumulative potential

ETHYL ACETATE

Partition coefficient: n-octanol/water 0,68 BCF 30

#### 12.4. Mobility in soil

Information not available



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n. 14/18

Replaced revision:1 (Printed on: 13/03/2020)

# **SOFTWASH**

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

not applicable


# 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

# 14.4. Packing group



On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

Substances subject to authorisation (Annex XIV REACH)

None



**SOFTWASH** 

Revision nr. 2

Dated 19/05/2022

Printed on 03/02/2025

Page n. 16/18

Replaced revision:1 (Printed on: 13/03/2020)

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# 15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

D LIMONENE

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Flam. Liq. 3 Flammable liquid, category 3

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 4 Acute toxicity, category 4

Asp. Tox. 1 Aspiration hazard, category 1

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2
Skin Sens. 1 Skin sensitization, category 1
Skin Sens. 1B Skin sensitization, category 1B

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n 17/18

Replaced revision:1 (Printed on: 13/03/2020)

# **SOFTWASH**

**Aquatic Chronic 2** Hazardous to the aquatic environment, chronic toxicity, category 2 **Aquatic Chronic 3** Hazardous to the aquatic environment, chronic toxicity, category 3

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**EUH066** Repeated exposure may cause skin dryness or cracking.

#### I EGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

# GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament



Revision nr. 2

Dated 19/05/2022 Printed on 03/02/2025

Page n 18/18

Replaced revision:1 (Printed on: 13/03/2020)

# **SOFTWASH**

- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
   The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for the user:

The information contained in this sheet is based on the knowledge available to us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document should not be construed as a guarantee of any specific property of the product.

Since the use of the product does not fall under our direct control, it is the user's obligation to observe the laws and regulations in force regarding hygiene and safety under his own responsibility. No responsibility is assumed for improper use.

Provide adequate training to personnel assigned to the use of chemical products.

This safety data sheet has been prepared by a competent technician who has received suitable training.

METHODS OF CALCULATING THE CLASSIFICATION

Physico-chemical hazards: The classification of the product was derived from the criteria established by the CLP Regulation Annex I Part 2. The methods for assessing the physico-chemical properties are reported in section 9.

Health hazards: The classification of the product is based on the calculation methods set out in Annex I of CLP Part 3, unless otherwise indicated in section 11.

Environmental hazards: The classification of the product is based on the calculation methods set out in Annex I of CLP Part 4, unless otherwise indicated in section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 11 / 12 / 15 / 16.